

| Reference Table Number | Version | Description   | URI   | Link to Table   | Link to Table in XML Format   |
|------------------------|---------|---|---|---|---|
| RT004                  | 1.0.0   | Flag Character Values<br>Applies to:<br>-Flag Value Data Element<br>-Data Structure 001   | <a href="https://www.isbt128.org/urirt/RT004">https://www.isbt128.org/urirt/RT004</a> | <a href="https://www.isbt128.org/RT004">https://www.isbt128.org/RT004</a> | <a href="https://www.isbt128.org/RT004xml">https://www.isbt128.org/RT004xml</a> |
| RT005                  | 1.0.0   | Blood Groups [ABO and RhD], Including Optional Type of Collection Information<br>Applies to:<br>-Blood Groups Data Element<br>-Data Structure 002   | <a href="https://www.isbt128.org/urirt/RT005">https://www.isbt128.org/urirt/RT005</a> | <a href="https://www.isbt128.org/RT005">https://www.isbt128.org/RT005</a> | <a href="https://www.isbt128.org/RT005xml">https://www.isbt128.org/RT005xml</a> |
| RT006                  | 1.0.0   | Special Messages<br>Applies to:<br>-Blood Groups Data Element<br>-Data Structure 002  | <a href="https://www.isbt128.org/urirt/RT006">https://www.isbt128.org/urirt/RT006</a> | <a href="https://www.isbt128.org/RT006">https://www.isbt128.org/RT006</a> | <a href="https://www.isbt128.org/RT006xml">https://www.isbt128.org/RT006xml</a> |
| RT007                  | 1.0.0   | Rh, Kell, and Mia/Mur Phenotypes<br>Applies to:<br>-Rh K Mur Data Element<br>-Data Structure 002  | <a href="https://www.isbt128.org/urirt/RT007">https://www.isbt128.org/urirt/RT007</a> | <a href="https://www.isbt128.org/RT007">https://www.isbt128.org/RT007</a> | <a href="https://www.isbt128.org/RT007xml">https://www.isbt128.org/RT007xml</a> |
| RT008                  | 1.0.0   | Type of Collection in 6th Position of Product Code<br>Applies to:<br>-Collection Type Data Element<br>-Data Structure 003   | <a href="https://www.isbt128.org/urirt/RT008">https://www.isbt128.org/urirt/RT008</a> | <a href="https://www.isbt128.org/RT008">https://www.isbt128.org/RT008</a> | <a href="https://www.isbt128.org/RT008xml">https://www.isbt128.org/RT008xml</a> |
| RT009                  | 1.0.0   | Special Testing: Red Blood Cell Antigens - General<br>Applies to:<br>-Special Testing RBC General Data Element<br>-Data Structure 012   | <a href="https://www.isbt128.org/urirt/RT009">https://www.isbt128.org/urirt/RT009</a> | <a href="https://www.isbt128.org/RT009">https://www.isbt128.org/RT009</a> | <a href="https://www.isbt128.org/RT009xml">https://www.isbt128.org/RT009xml</a> |
| RT010                  | 1.0.0   | Special Testing: Red Blood Cell Antigens - Finnish<br>Applies to:<br>-Special Testing RBC Finnish Data Element<br>-Data Structure 013   | <a href="https://www.isbt128.org/urirt/RT010">https://www.isbt128.org/urirt/RT010</a> | <a href="https://www.isbt128.org/RT010">https://www.isbt128.org/RT010</a> | <a href="https://www.isbt128.org/RT010xml">https://www.isbt128.org/RT010xml</a> |
| RT011                  | 1.0.0   | Special Testing: Red Blood Cell Antigens — General, Erythrocyte Antigen Specified Has Been Tested for and Found Negative<br>Applies to:<br>-Special Testing RBC General Data Element<br>-Data Structure 012 | <a href="https://www.isbt128.org/urirt/RT011">https://www.isbt128.org/urirt/RT011</a> | <a href="https://www.isbt128.org/RT011">https://www.isbt128.org/RT011</a> | <a href="https://www.isbt128.org/RT011xml">https://www.isbt128.org/RT011xml</a> |
| RT012                  | 1.0.0   | Special Testing: Red Blood Cell Antigens — Finnish, Erythrocyte Antigen Specified Has Been Tested for and Found Negative<br>Applies to:<br>-Special Testing RBC Finnish Data Element<br>-Data Structure 013 | <a href="https://www.isbt128.org/urirt/RT012">https://www.isbt128.org/urirt/RT012</a> | <a href="https://www.isbt128.org/RT012">https://www.isbt128.org/RT012</a> | <a href="https://www.isbt128.org/RT012xml">https://www.isbt128.org/RT012xml</a> |

| Reference Table Number | Version | Description  | URI   | Link to Table   | Link to Table in XML Format   |
|------------------------|---------|--|---|---|---|
| RT013                  | 1.0.0   | Special Testing: Platelet HLA and Platelet-Specific Antigens, Positions 1 through 8<br>Applies to:<br>-Special Testing Platelets Data Element<br>-Data Structure 014   | <a href="https://www.isbt128.org/urirt/RT013">https://www.isbt128.org/urirt/RT013</a> | <a href="https://www.isbt128.org/RT013">https://www.isbt128.org/RT013</a> | <a href="https://www.isbt128.org/RT013xml">https://www.isbt128.org/RT013xml</a> |
| RT014                  | 1.0.0   | Special Testing: Platelet HLA and Platelet-Specific Antigens, Positions 9 through 16<br>Applies to:<br>-Special Testing Platelets Data Element<br>-Data Structure 014  | <a href="https://www.isbt128.org/urirt/RT014">https://www.isbt128.org/urirt/RT014</a> | <a href="https://www.isbt128.org/RT014">https://www.isbt128.org/RT014</a> | <a href="https://www.isbt128.org/RT014xml">https://www.isbt128.org/RT014xml</a> |
| RT015                  | 1.0.0   | Special Testing: HLA-A and –B Alleles, Position 17 (CMV Antibody Status) - <b>RETIRED</b><br>Applies to:<br>-Special Testing HLA- A and HLA-B Alleles Data Element<br>-Data Structure 015  | <a href="https://www.isbt128.org/urirt/RT015">https://www.isbt128.org/urirt/RT015</a> | <a href="https://www.isbt128.org/RT015">https://www.isbt128.org/RT015</a> | <a href="https://www.isbt128.org/RT015xml">https://www.isbt128.org/RT015xml</a> |
| RT016                  | 1.0.0   | Manufacturer ID Codes<br>Applies to:<br>-Other Mfr and Cat Data Element<br>-Container Manufacturer Data Element<br>-Container Mfr and Cat Data Element<br>-Data Structure 017<br>-Data Structure 021   | <a href="https://www.isbt128.org/urirt/RT016">https://www.isbt128.org/urirt/RT016</a> | <a href="https://www.isbt128.org/RT016">https://www.isbt128.org/RT016</a> | <a href="https://www.isbt128.org/RT016xml">https://www.isbt128.org/RT016xml</a> |
| RT017                  | 1.0.0   | ICCBBA-Specified Compound Messages<br>Applies to:<br>-Data Structure 023   | <a href="https://www.isbt128.org/urirt/RT017">https://www.isbt128.org/urirt/RT017</a> | <a href="https://www.isbt128.org/RT017">https://www.isbt128.org/RT017</a> | <a href="https://www.isbt128.org/RT017xml">https://www.isbt128.org/RT017xml</a> |
| RT018                  | 1.0.0   | Patient Date of Birth and Patient Identification Number, Location Code<br>Applies to:<br>-Information Location Data Element<br>-Patient DOB and information location Data Element<br>-Patient ID and information location Data Element<br>-Data Structure 024<br>-Data Structure 025 | <a href="https://www.isbt128.org/urirt/RT018">https://www.isbt128.org/urirt/RT018</a> | <a href="https://www.isbt128.org/RT018">https://www.isbt128.org/RT018</a> | <a href="https://www.isbt128.org/RT018xml">https://www.isbt128.org/RT018xml</a> |
| RT019                  | 1.0.0   | Transfusion Transmitted Infection Marker<br>Applies to:<br>-Infectious Markers Data Element<br>-Data Structure 027   | <a href="https://www.isbt128.org/urirt/RT019">https://www.isbt128.org/urirt/RT019</a> | <a href="https://www.isbt128.org/RT019">https://www.isbt128.org/RT019</a> | <a href="https://www.isbt128.org/RT019xml">https://www.isbt128.org/RT019xml</a> |
| RT035                  | 1.0.0   | Mapping from Characters to ISO/IEC 7064 Check Values and Calculated Values to the Checksum Character   | <a href="https://www.isbt128.org/urirt/RT035">https://www.isbt128.org/urirt/RT035</a> | <a href="https://www.isbt128.org/RT035">https://www.isbt128.org/RT035</a> | <a href="https://www.isbt128.org/RT035xml">https://www.isbt128.org/RT035xml</a> |

| Reference Table Number | Version | Description   | URI   | Link to Table   | Link to Table in XML Format   |
|------------------------|---------|---|---|---|---|
| RT037                  | 1.0.0   | Dimensions Symbols<br>Applies to:<br>-Dimensions, Multiple Data Element<br>-Dimensions, Single Data Element<br>-Data Structure 029  | <a href="https://www.isbt128.org/urirt/RT037">https://www.isbt128.org/urirt/RT037</a> | <a href="https://www.isbt128.org/RT037">https://www.isbt128.org/RT037</a> | <a href="https://www.isbt128.org/RT037xml">https://www.isbt128.org/RT037xml</a> |
| RT038                  | 1.0.0   | Dimensions Units<br>Applies to:<br>-Dimensions, Multiple Data Element<br>-Dimensions, Single Data Element<br>-Data Structure 029  | <a href="https://www.isbt128.org/urirt/RT038">https://www.isbt128.org/urirt/RT038</a> | <a href="https://www.isbt128.org/RT038">https://www.isbt128.org/RT038</a> | <a href="https://www.isbt128.org/RT038xml">https://www.isbt128.org/RT038xml</a> |
| RT039                  | 1.0.0   | Dimensions Decimal Point<br>Applies to:<br>-Dimensions, Multiple Data Element<br>-Dimensions, Single Data Element<br>-Data Structure 029  | <a href="https://www.isbt128.org/urirt/RT039">https://www.isbt128.org/urirt/RT039</a> | <a href="https://www.isbt128.org/RT039">https://www.isbt128.org/RT039</a> | <a href="https://www.isbt128.org/RT039xml">https://www.isbt128.org/RT039xml</a> |
| RT040                  | 1.0.0   | RBC and Human Platelet Antigen Results<br>Applies to:<br>-Red Cell Antigen with Test History, Individual Data Element<br>-Red Cell Antigens with Test History, Multiple Data Element<br>-Data Structure 030<br>-HPA Type Data Element         | <a href="https://www.isbt128.org/urirt/RT040">https://www.isbt128.org/urirt/RT040</a> | <a href="https://www.isbt128.org/RT040">https://www.isbt128.org/RT040</a> | <a href="https://www.isbt128.org/RT040xml">https://www.isbt128.org/RT040xml</a> |
| RT041                  | 1.0.0   | Number of RBC and Human Platelet Antigen Tests<br>Applies to:<br>-Red Cell Antigen with Test History, Individual Data Element<br>-Red Cell Antigens with Test History, Multiple Data Element<br>-Data Structure 030<br>-HPA Type Data Element | <a href="https://www.isbt128.org/urirt/RT041">https://www.isbt128.org/urirt/RT041</a> | <a href="https://www.isbt128.org/RT041">https://www.isbt128.org/RT041</a> | <a href="https://www.isbt128.org/RT041xml">https://www.isbt128.org/RT041xml</a> |
| RT042                  | 1.0.0   | ISBT 128 Data References for use in Electronic Messages   | <a href="https://www.isbt128.org/urirt/RT042">https://www.isbt128.org/urirt/RT042</a> | <a href="https://www.isbt128.org/uri/">https://www.isbt128.org/uri/</a>   | <a href="https://www.isbt128.org/uri/">https://www.isbt128.org/uri/</a>         |
| RT044                  | 1.0.0   | Special Testing: Platelet HLA and Platelet Specific Antigens, Position 18<br>Applies to:<br>-Special Testing Platelets Data Element<br>-Data Structure 014  | <a href="https://www.isbt128.org/urirt/RT044">https://www.isbt128.org/urirt/RT044</a> | <a href="https://www.isbt128.org/RT044">https://www.isbt128.org/RT044</a> | <a href="https://www.isbt128.org/RT044xml">https://www.isbt128.org/RT044xml</a> |
| RT045                  | 1.0.0   | Time Zone<br>Applies to:<br>-Flexible Date and Time Data Element<br>-Data Structure 031   | <a href="https://www.isbt128.org/urirt/RT045">https://www.isbt128.org/urirt/RT045</a> | <a href="https://www.isbt128.org/RT045">https://www.isbt128.org/RT045</a> | <a href="https://www.isbt128.org/RT045xml">https://www.isbt128.org/RT045xml</a> |
| RT046                  | 1.0.0   | Type of Time<br>Applies to:<br>-Flexible Date and Time Data Element<br>-Data Structure 031  | <a href="https://www.isbt128.org/urirt/RT046">https://www.isbt128.org/urirt/RT046</a> | <a href="https://www.isbt128.org/RT046">https://www.isbt128.org/RT046</a> | <a href="https://www.isbt128.org/RT046xml">https://www.isbt128.org/RT046xml</a> |

| Reference Table Number | Version | Description  | URI   | Link to Table   | Link to Table in XML Format   |
|------------------------|---------|--|---|---|---|
| RT058                  | 1.0.0   | Facility Type Codes Used in the Registered Facilities Database<br>Applies to:<br>-Registered Facilities Database   | <a href="https://www.isbt128.org/urirt/RT058">https://www.isbt128.org/urirt/RT058</a> | <a href="https://www.isbt128.org/RT058">https://www.isbt128.org/RT058</a> | <a href="https://www.isbt128.org/RT058xml">https://www.isbt128.org/RT058xml</a> |
| RT061                  | 1.0.0   | Character to ISO/IEC 7064 Check Values<br>Applies to:<br>-Global Registration Identifier for Donors Data Element<br>-Data Structure 039  | <a href="https://www.isbt128.org/urirt/RT061">https://www.isbt128.org/urirt/RT061</a> | <a href="https://www.isbt128.org/RT061">https://www.isbt128.org/RT061</a> | <a href="https://www.isbt128.org/RT061xml">https://www.isbt128.org/RT061xml</a> |
| RT064                  | 7.x.x   | Product Description Codes (PDC Database)<br>Applies to:<br>-Product Description Code Data Element<br>-Data Structure 003<br>-Data Structure 034  | <a href="https://www.isbt128.org/urirt/RT064">https://www.isbt128.org/urirt/RT064</a> | <a href="https://www.isbt128.org/RT064">https://www.isbt128.org/RT064</a> | <a href="https://www.isbt128.org/RT064xml">https://www.isbt128.org/RT064xml</a> |
| RT065                  |         | Registered Facilities<br>Applies to:<br>-Donation Identification Number Data Element<br>-MPHO Unique Identifier Data Element<br>-Processing Facility Identification Number Data Element<br>-Processor Product Identification Code Data Element<br>-Product Consignment Data Element<br>-Data Structure 001<br>-Data Structure 019<br>-Data Structure 020<br>-Data Structure 028<br>-Data Structure 033<br>-Data Structure 034<br>-Data Structure 040 | <a href="https://www.isbt128.org/urirt/RT065">https://www.isbt128.org/urirt/RT065</a> | <a href="https://www.isbt128.org/RT065">https://www.isbt128.org/RT065</a> | <a href="https://www.isbt128.org/RT065xml">https://www.isbt128.org/RT065xml</a> |
| RT068                  |         | Special Testing General Codes<br>Applies to:<br>-Data Structure 010  | <a href="https://www.isbt128.org/urirt/RT068">https://www.isbt128.org/urirt/RT068</a> | <a href="https://www.isbt128.org/RT068">https://www.isbt128.org/RT068</a> | <a href="https://www.isbt128.org/RT068xml">https://www.isbt128.org/RT068xml</a> |
| RT069                  | 1.0.0   | TTI Infection Codes<br>Applies to:<br>-Transfusion Transmitted Infection Screening Result Status Data Element  | <a href="https://www.isbt128.org/urirt/RT069">https://www.isbt128.org/urirt/RT069</a> | <a href="https://www.isbt128.org/RT069">https://www.isbt128.org/RT069</a> | <a href="https://www.isbt128.org/RT069xml">https://www.isbt128.org/RT069xml</a> |
| RT070                  | 1.0.0   | TTI Marker/Technique Codes<br>Applies to:<br>-Transfusion Transmitted Infection Screening Result Status Data Element   | <a href="https://www.isbt128.org/urirt/RT070">https://www.isbt128.org/urirt/RT070</a> | <a href="https://www.isbt128.org/RT070">https://www.isbt128.org/RT070</a> | <a href="https://www.isbt128.org/RT070xml">https://www.isbt128.org/RT070xml</a> |
| RT071                  | 1.0.0   | TTI Status Results<br>Applies to:<br>-Transfusion Transmitted Infection Screening Result Status Data Element   | <a href="https://www.isbt128.org/urirt/RT071">https://www.isbt128.org/urirt/RT071</a> | <a href="https://www.isbt128.org/RT071">https://www.isbt128.org/RT071</a> | <a href="https://www.isbt128.org/RT071xml">https://www.isbt128.org/RT071xml</a> |

| Reference Table Number | Version | Description  | URI   | Link to Table   | Link to Table in XML Format   |
|------------------------|---------|--|---|---|---|
| RT500                  | 1.0.0   | ABO and RhD Coding Values<br>Applies to:<br>-ABO RhD Data Element<br>-Data Structure 002 | <a href="https://www.isbt128.org/urirt/RT500">https://www.isbt128.org/urirt/RT500</a> | <a href="https://www.isbt128.org/RT500">https://www.isbt128.org/RT500</a> | <a href="https://www.isbt128.org/RT500xml">https://www.isbt128.org/RT500xml</a> |